



MACHINERY & TOOLS

ANGLE GRINDER



MAG 100A



MAG 100B



MAG 100VR

MODEL	MAG 100A	MAG 100B	MAG 100VR
Disc. Diameter	100mm	100mm	100mm
Rated Voltage	220V	220V	220V
Frequency	50Hz	50Hz	50Hz
Input Power	570W	650W	850W
No Load Speed	11000r/min	11000r/min	11000r/min
Protect Grade	E	E	E
Weight	1,5Kg	1,5Kg	1,8Kg

CUT OFF MACHINE



MCM 355



MCM 405
1 Phase



MCM 405
3 Phase

MODEL	MCM 355	MCM 405	MCM 405
Max. Wheel Diameter	355mm	400mm	400mm
Rated Voltage	220V	220V	380V
Phase	1 Phase	1 Phase	3 Phase
Frequency	50Hz	50Hz	50Hz
Input Power	2000W	2200W	2200W
No Load Speed	3800r/min	3800r/min	3800r/min
Weight	16Kg	56Kg	56Kg



MACHINERY & TOOLS

CHAIN SAW



MODEL	MCS-52 TLC	MCS-58 HNC	MCS-58 WLO	ELECTRIC CHAIN SAW STAND
Machine Capacity	52 cc	58 cc	58 cc	-
Oil Capacity	0.25L	0.25L	0.25L	-
Bar Length	20"	22"	22"	16"
Bar Type	Laser	Normal	Laser	-
Power	2.2KW	2.2KW	2.2KW	-
Chain	China	China	Oregon	China
Weight	6.8 Kg	7 Kg	7 Kg	1.9 Kg

BENCH GRINDER



MODEL	MG-125	MG-150	MG-200
Max. Wheel Diameter	125mm	150mm	200mm
Rated Voltage	220V	220V	220V
Frequency	50Hz	50Hz	50Hz
Power	1/4HP	1/3HP	1/2HP
No Load Speed	2960r/min	2960r/min	2960r/min
Weight	11Kg	11Kg	11Kg



MACHINERY & TOOLS

MAGNETIC DRILL



MMD21



MMD23B-2



MMD28A-2



MMD32-1

MODEL	MMD21	MMD23B-2	MMD28A-2	MMD32-1
Twist Drill	23mm	23mm	28mm	32mm
Rated Power	1000W	1100W	1200W	2000W
Voltage	220V	220V	220V	220V
Rated Speed	300r/min	350r/min	350r/min	140r/min
Attraction of Magnet	13000N	13000N	14000N	18000N
Horizontal Displacement	20mm	20mm	20mm	20mm
Weight	27Kg	23Kg	23Kg	51Kg

MAGNETIC DRILL



MMD3175



MULTIFUNGSI 3 IN 1



CORE



DRILL



TAP

MODEL	MMD3175
Input Power	1800W
Voltage	220V
Frequency	50Hz
No-load Speed	200-600r/min
Max. Travel	190mm
Drilling Capacity	
- Twist Drill	31.75mm
- Tapping	22mm
- Core Drill	55mm
Magnetic Adjesion	15.000N
Spindle Connecting Thread	MK3
Measurement	410X480X195mm
Nett Weight	23.8Kg
Gross Weight	25Kg

GASOLINE JACK HAMMER



MGJH-2850



MODEL	MGJH-2850
Engine Type	1Cylinder, 2 Stroke
L x W x H	740x390x325mm
Fuel	Mixing Oil
Tank Capacity	1,2L
Weight	17.5Kg
Displacement	51.7cc
Max. Power	1.45Kw
Max. Torque	2.5N
Power Speed	6500r/min
Torque Speed	5000r/min
Fuel Use Up Rate	0,6L/h
Impact Number	700-1500min
Impact Energy	25-55J
Carburator Type	IE40F-5A.8
Spark Plug Type	L6(LD)
Starter System	Hand Pull Start